



VÝPIS HLAVNÍCH BODŮ OSA "A"							
Staničení	Y	X	Z	Celková délka	Typ	Směrník:	Poloměr
0	852766,96	1011910,51	377,52	0	ZU, V	140,308	-
5,27	852762,71	1011913,63	377,78	5,27	ZZ	140,308	-
7,88	852760,61	1011915,17	377,93	7,88	V	140,308	-
10	852758,90	1011916,43	378,08	10		140,308	-
10,34	852758,62	1011916,63	378,11	10,34	TK	140,308	-
10,49	852758,50	1011916,72	378,12	10,49	KZ	140,95	15
14,33	852755,75	1011919,39	378,44	14,33		157,251	15
18,32	852753,71	1011922,81	378,78	18,32	KT	174,194	15
19,39	852753,29	1011923,79	378,86	19,39	TK	174,194	-
19,73	852753,14	1011924,09	378,89	19,73	ZZ	166,974	3
20	852753,00	1011924,32	378,91	20		161,283	3
21,77	852751,63	1011925,40	379,05	21,77		123,679	3
23,06	852750,36	1011925,60	379,14	23,06	V	96,254	3
24,15	852749,31	1011925,34	379,21	24,15	KT	73,164	3
26,4	852747,26	1011924,42	379,34	26,4	KZ	73,164	-
30	852743,97	1011922,95	379,52	30		73,164	-
34,5	852739,86	1011921,10	379,74	34,5	ZZ	73,164	-
37,84	852736,82	1011919,74	379,94	37,84	V	73,164	-
40	852734,85	1011918,86	380,09	40		73,164	-
41,17	852733,78	1011918,38	380,19	41,17	KZ	73,164	-
45,43	852729,89	1011916,63	380,54	45,43	TK	73,164	-
48,29	852727,66	1011914,90	380,78	48,29		42,853	6
50	852726,79	1011913,43	380,92	50		24,658	6
51,14	852726,47	1011912,33	381,02	51,14	KT	12,542	6
52,9	852726,12	1011910,61	381,16	52,9	TK	12,542	-
55,75	852724,41	1011908,46	381,40	55,75		73,164	3
58,61	852721,66	1011908,61	381,64	58,61	KT	133,785	3
58,62	852721,66	1011908,61	381,64	58,62	TK	133,785	-
59,56	852720,82	1011909,05	381,72	59,56	ZZ	127,753	9,99
60	852720,42	1011909,23	381,76	60		124,967	9,99
63,37	852717,15	1011909,97	382,02	63,37		103,474	9,99
68,13	852712,51	1011909,11	382,36	68,13	KT	73,164	9,99
68,28	852712,38	1011909,05	382,37	68,28	V	73,164	-
70	852710,81	1011908,35	382,48	70		73,164	-
76,99	852704,43	1011905,49	382,87	76,99	KZ	73,164	-
80	852701,68	1011904,26	383,01	80		73,164	-
90	852692,56	1011900,17	383,50	90		73,164	-
93,8	852689,09	1011898,61	383,68	93,8	ZZ	73,164	-
95,1	852687,90	1011898,08	383,75	95,1	TK	73,164	-
100	852683,12	1011897,36	384,02	100		107,8	9
100,43	852682,69	1011897,42	384,05	100,43	V	110,869	9
102,1	852681,08	1011897,85	384,15	102,1		122,65	9

107,07	852677,12	1011900,75	384,50	107,07	KZ	157,793	9
109,1	852676,07	1011902,47	384,65	109,1	KT	172,137	9
110	852675,68	1011903,29	384,72	110		172,137	-
120	852671,44	1011912,35	385,47	120		172,137	-
126,21	852668,81	1011917,97	385,94	126,21	TK	172,137	-
130	852666,47	1011920,91	386,22	130		141,939	8
130,88	852665,74	1011921,41	386,29	130,88	ZZ	134,929	8
132,7	852664,10	1011922,17	386,41	132,7		120,479	8
139,19	852657,81	1011921,64	386,62	139,19	KT	68,822	8
139,88	852657,19	1011921,31	386,62	139,88	Spád 0% (vrcholový)	68,822	-
140	852657,09	1011921,26	386,62	140		68,822	-
141,38	852655,87	1011920,61	386,61	141,38	V	68,822	-
143,91	852653,64	1011919,42	386,56	143,91	TK	68,822	-
147,22	852651,07	1011917,37	386,40	147,22		45,407	9
150	852649,60	1011915,02	386,20	150		25,723	9
150,53	852649,41	1011914,53	386,15	150,53	KT	21,992	9
151,88	852648,95	1011913,25	386,02	151,88	KZ	21,992	-
156,05	852647,54	1011909,33	385,61	156,05	TK	21,992	-
156,63	852647,32	1011908,79	385,55	156,63		25,744	10
157,22	852647,07	1011908,25	385,49	157,22	KT	29,496	10
160	852645,83	1011905,77	385,21	160		29,496	-
162,68	852644,64	1011903,37	384,94	162,68	TK	29,496	-
162,94	852644,52	1011903,14	384,92	162,94		27,824	10
163,2	852644,42	1011902,90	384,89	163,2	KT	26,152	10
167,21	852642,81	1011899,22	384,49	167,21	TK	26,152	-
170	852641,57	1011896,73	384,21	170		32,971	26
171,26	852640,92	1011895,65	384,09	171,26	ZZ	36,054	26
180	852635,09	1011889,19	383,47	180		57,457	26
180,26	852634,88	1011889,03	383,46	180,26	V	58,092	26
181,15	852634,17	1011888,50	383,42	181,15		60,269	26
186,26	852629,76	1011885,94	383,34	186,26	Spád 0% (údolnicový)	72,78	26
189,26	852626,96	1011884,86	383,37	189,26	KZ	80,13	26
190	852626,25	1011884,64	383,38	190		81,942	26
195,08	852621,27	1011883,70	383,48	195,08	KT	94,386	26
195,88	852620,47	1011883,63	383,50	195,88	TK	94,386	-
197,89	852618,48	1011883,35	383,54	197,89	KU	87,981	20

VÝPIS HLAVNÍCH BODŮ OSY "B"							
Staničení	Y	X	Z	Celková délka	Typ	Směrník:	Poloměr
0	852685,06	1011805,41	375,25	0	ZU, V	163,392	-
2,78	852683,55	1011807,74	375,35	2,78	ZZ	163,392	-
10	852679,62	1011813,80	375,70	10		163,392	-
11,02	852679,07	1011814,66	375,77	11,02	V	163,392	-
19,26	852674,58	1011821,57	376,41	19,26	KZ	163,392	-
20	852674,18	1011822,20	376,48	20		163,392	-
30	852668,74	1011830,59	377,40	30		163,392	-
40	852663,30	1011838,98	378,32	40		163,392	-
50	852657,86	1011847,37	379,24	50		163,392	-
60	852652,43	1011855,76	380,16	60		163,392	-
70	852646,99	1011864,15	381,08	70		163,392	-
71,04	852646,42	1011865,02	381,17	71,04	ZZ	163,392	-
80	852641,55	1011872,55	381,97	80		163,392	-
80,43	852641,31	1011872,91	382,01	80,43	V	163,392	-
89,83	852636,20	1011880,79	382,77	89,83	KZ	163,392	-
90	852636,11	1011880,94	382,78	90		163,392	-
97,4	852632,08	1011887,15	383,35	97,4	KU	163,392	-